

EMERGENCY TRAILER REQUIREMENTS

- A) Trailers must be anchored at each corner using concrete pillars of at least 10" diameter, and a minimum of 24" below ground level. 3/8" minimum diameter eye-bolts will be set completely through pillars, with anchor plate at bottom of eye-bolts. Cable or turn buckles will be attached to eye-bolts and frame of trailer. Building Inspector should be consulted for any questions as to installation requirements.
- B) Trailers must be hooked up to approved sewage disposal system, as per Otero County Health Department memo of April 24, 2008.
- C) County Building Inspector will inspect and approve that trailers are properly anchored.



HEALTH DEPARTMENT

Serving Crowley & Otero Counties

Executive Director
Richard Ritter

Program Directors
C.L. Bowman, Environmental
Alice Lucero, Business
Jo Jancar, WTC
Lorene Nelson, Nursing
Kaysie Schmidt, Tobacco Control

Regional Directors
Meredith Bradfield, Public Health Training
Michael Miller, Epidemiology
Kaysie Schmidt, Tobacco Control

La Junta Office
13 West 3rd Street, Room 111
La Junta, CO 81050
Phone: 383-3040 Fax: 383-3060

Rocky Ford Office
811 South 13 Street
Rocky Ford, CO 81067
Phone: 254-5300 Fax: 254-5310

Ordway Office
603 Main, Courthouse Annex
Ordway, CO 81063
Phone: 267-5245 Fax: 267-8909

April 24, 2008

BURNED HOMES WITH SEPTIC SYSTEM

If connecting a temporary trailer to pre existing septic system, the following will be required:

- 1) No permit fees will be required
- 2) Use schedule 40 PVC piping (3 inch or 4 inch diameter) piping
- 3) There must be a 2 percent gradient from the trailer to the septic tank
- 4) No 90° bends in the sewer line
- 5) If you can not connect to pre existing septic system, contact the Otero County Health Department at 719-383-3040

If connecting a permanent home to the pre existing septic tank, the following will be required:

- 1) No permit fees will be required
- 2) Use schedule 40 PVC piping with 3 inch or 4 inch diameter
- 3) A clean out will be required between house and the septic tank
- 4) There must be a 2 percent gradient from the house to the tank
- 5) No 90° bends allowed
- 6) An inspection by the Otero County Health Department will be required before covering
- 7) If you can not connect to the present septic system or installing a new septic system, please call the Otero County Health Department at 719-383-3040.